



Quality Plastic Engineering Products At Your Finger Tips











CABLE CARRIER ASSEMBLY SUITABLE FOR Ø6mm & Ø8mm WIRE ROPE

 <p>CCA/ RN -01 CCA/FP-02</p> <p>Cable clamping Sq.10x14 & Sq.7x 10</p>	 <p>CCA/ NRN-01-A CCA/ NRP -02-B</p> <p>Cable clamping dia.11 to 16mm</p>	 <p>CCA/ RBN-03 CCA/RBP-04</p> <p>Cable clamping dia.16 & 20mm</p>	 <p>CCA/NRBN-03-A CCA/ NRBP-04-B</p> <p>Cable clamping dia. 16 to 30mm</p>
 <p>CCA/FN-05 CCA/ FP-06</p> <p>Cable clamping 36 / 40/ 50 x 12mm</p>	 <p>CCA/ TN-07 CCA/ TP-08</p> <p>Cable clamping width 60mm</p>	 <p>CCA/JP-09</p> <p>Cable clamping dia. 25mm</p>	 <p>CCA/ JP-10</p> <p>Cable clamping dia.38mm</p>

DOUBLE WHEEL CABLE CARRIER ASSEMBLY SUITABLE Ø6mm & Ø8mm WIRE ROPE

These trolley's may be used where movement is frequent and or long distance

 <p>DCCA/RN -11 DCCA/ FP-12</p> <p>Cable clamping Sq.10x14 & Sq.7x 10</p>	 <p>DCCA/ NRN-11-A DCCA/NRP-12-B</p> <p>Cable clamping dia.11 to 16mm</p>	 <p>DCCA/RBN-13 DCCA/RBP-14</p> <p>Cable clamping dia.16 & 20mm</p>	 <p>DCCA/NRBN-13-A DCCA/NRBP-14-B</p> <p>Cable clamping dia. 16 to 30mm</p>
 <p>DCCA/TN-17 DCCA/TP-18</p> <p>Cable clamping width 60mm</p>	 <p>DCCA/FP-16</p> <p>Cable clamping 36 / 40/ 50 x 12mm</p>	 <p>DCCA/JP-19</p> <p>Cable clamping dia. 25mm</p>	 <p>DCCA/JP-20</p> <p>Cable clamping dia.38mm</p>


CABLE CARRIER ASSEMBLY SUITABLE FOR ENCLOSED TRACK SQ. INNER SIZE 37 X 37MM

Most suitable for short distance & also useful for Spring Balancer or Auto Assembly Work Station





 <p>CCET/RN-31 Cable clamping Sq.10x14 & Sq.7x10</p>	 <p>CCET/NRN-31-A Cable clamping dia.11 to 16mm</p>	 <p>CCET/RBN-33 Cable clamping dia.16 & 20mm</p>	 <p>CCET/NRBN-33-A Cable clamping dia. 16 to 30mm</p>
 <p>CCET/FN-35 Cable clamping 36 / 40/ 50 x 12mm</p>	 <p>CCET/TN-37 Cable clamping width 60/80mm</p>	 <p>CCET/JP-39 Cable clamping dia. 25mm</p>	 <p>CCET/JP-40 Cable clamping dia.38mm</p>
 <p>MS ENCLOSED TRACK SECTION (red oxide dipped, plating on request only) MS Enclosed track of inner 37x 37mm & @1.5 thick in 6 Feet length</p>	 <p>MS JOINT PIECE 130 mm long</p>	 <p>MS CROSS BARS FOR MOUNTING</p>	 <p>ND-CCET enclosed track trolley suitable for track ID 28 x 28</p>
 <p>ND-CCET-TN100 New Design CCET with 100mm Radius Half Tyre suitable for Enclosed Track 37x37mm</p>	 <p>ND-CCET-Start Trolley New Design CCET - with Hanger Unit of 100mm Half Tyre & Metal Section of 104L x 40B x 76H</p>	 <p>ND-CCET-End Trolley New Design CCET - with Hanger Unit of 100mm Half Tyre & END STOPPER in MS</p>	 <p>End stopper Curved Stopper in MS for trolley movement restriction.</p>

SUPER CABLE CARRIER ASSEMBLY SUITABLE FOR Ø10mm & Ø12mm WIRE ROPE


Heavy duty & for Long Distance

 <p>SCCA/RN-41 SCCA/RP-42 Cable clamping Sq.10x14 & Sq.7x10</p>	 <p>SCCA/NRN-41-A SCCA/NRP-42-B Cable clamping dia.11 to 16mm</p>	 <p>SCCA/RBN-43 SCCA/RBP-44 Cable clamping dia.16 & 20mm</p>	 <p>SCCA/NRBN-43-A SCCA/NRBP-44-B Cable clamping dia. 16 to 30mm</p>
--	--	--	---













* Note: "N" denotes NYLON in grey color only. "P" denotes POLYPROPYLENE orange color only

 <p>SCCA/FN-45 SCCA/FP-46</p> <p>Cable clamping 36 / 40/ 50 x 12mm</p>	 <p>SCCA/TN-47 SCCA/TP-48</p> <p>Cable clamping width 60/80mm</p>	 <p>SCCA/JP-49</p> <p>Cable clamping dia. 25mm</p>	 <p>SCCA/JP-50</p> <p>Cable clamping dia.38mm</p>
---	--	---	---

 <p>SCCA/JP-51</p> <p>Cable clamping dia.51mm</p>	 <p>SCCA/JP-52</p> <p>Cable clamping dia.63mm</p>
---	---




SUPER DOUBLE WHEEL CABLE CARRIER ASSEMBLY SUITABLE FOR Ø10mm & Ø12mm WIRE ROPE Heavy duty, Long Distance & Frequent Travel

 <p>SDCC/RN-53 SDCCA/RP-54</p> <p>Cable clamping Sq.10x14 & Sq.7x 10</p>	 <p>SDCC/NRN-53-A SDCC/NRP-54-B</p> <p>Cable clamping dia.11 to 16mm</p>	 <p>SDCC/RBN-55 SDCC/RBP-56</p> <p>Cable clamping dia.16 & 20mm</p>	 <p>SDCC/NRBN-55-A SDCC/NRBP-56-B</p> <p>Cable clamping dia. 16 to 30mm</p>
 <p>SDCC/FN-57 SDCC/FP-58</p> <p>Cable clamping 36 / 40/ 50 x 12mm</p>	 <p>SDCC/TN-59 SDCC/TP-60</p> <p>Cable clamping width 60/80mm</p>	 <p>SDCC/JP-61</p> <p>Cable clamping dia. 25mm</p>	 <p>SDCC/JP-62</p> <p>Cable clamping dia.38mm</p>
 <p>SDCC/JP-63</p> <p>Cable clamping dia.51mm</p>	 <p>SDCC/JP-64</p> <p>Cable clamping dia.63mm</p>	 <p>SDCC/SJP-64-A</p> <p>Cable clamping dia.76mm</p>	 <p>Kumbhojkar Plastic Moulders</p> <p>For dimension detailed catalogue please download from our website www.kumbhojkarplastics.com</p>

* Note: "N" denotes NYLON in grey color only. "P" denotes POLYPROPYLENE orange color only

TROLLEY TYPE CABLE CARRIER ASSEMBLY SUITABLE FOR "T" SECTION & "I" CHANNEL OF WIDTH 50mm.

 <p>TCCA/ RN-65 Cable clamping Sq.10x14 & Sq.7x 10</p>	 <p>TCCA/ NRN-65-A Cable clamping dia.11 to 16mm</p>	 <p>TCCA/ RBN-66 Cable clamping dia.16 & 20mm</p>	 <p>TCCA/ NRBN-66-A Cable clamping dia. 16 to 30mm</p>
 <p>TCCA/ FN-67 Cable clamping 36 / 40/ 50 x 12mm</p>	 <p>TCCA/ TN-68 Cable clamping width 60/80mm</p>	 <p>TCCA/ JP-69 Cable clamping dia. 25mm</p>	 <p>TCCA/ JP-70 Cable clamping dia.38mm</p>
 <p>TCCA/ SJP-71 Cable clamping dia.51mm</p>	 <p>TCCA/ SJP-72 Cable clamping dia.63mm</p>	 <p>TCCA/ SJP-72-A Cable clamping dia.76mm</p>	 <p>Metal Adj. TCCA Plastic Adj. TCCA</p>



For dimension detailed catalogue please download from our website.

www.kumbhojkarplastics.com



Anand Kumbhojkar

mktg@kumbhojkarplastics.com

sales@kumbhojkarplastics.com

129, Narayan Peth, Sitaphal Baug Colony,

Near Mati Ganpati, Pune - 411 030. INDIA

Tel.: +91-96070 03424 +91-94042 38939

Website: www.kumbhojkarplastics.com

